

WALK IN



telaio
frame / profilé
bastidor / frame /
rahmen

AN	WM	BM
AC	GB	BZ
MB		



vetro
glass / verre /
vidro / glas /
glas

01	14	41
73	DG	

su richiesta / on request / en option / bajo pedido / Op aanvraag / Auf Anfrage

42	43	80
90	45	46




YOC
YOUR OWN COLOR


Grafite	Titanio	Blu denim
Avio	Platino	Creta
Seta	Perla	Avorio
Verde salvia	Verde felce	Bruno
Avana	Visone	Terra di luna



angolo
corner / d'angle /
esquina / Hoek /
Ecke



tre lati
three-sided / trois côtés /
tres lados / drie zijden /
Drei Seiten



WALK IN 8

PARETE A 8MM / PANEL A 8MM

PAROI A 8MM / PANEL A 8MM

WAND A 8MM / WÄND A 8MM



H. 200 CM
SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS	
76÷78	B2580	O	-	-	-	34	1
78÷80	B2590	A	-	-	-	34	1
86÷88	B2581	O	-	-	-	39	1
88÷90	B2591	A	-	-	-	39	1
96÷98	B2582	O	-	-	-	44	1
98÷100	B2592	A	-	-	-	44	1
106÷108	B2587	O	-	-	-	49	1
108÷110	B2597	A	-	-	-	49	1
116÷118	B2583	O	-	-	-	54	1
118÷120	B2593	A	-	-	-	54	1
136÷138	B2584	O	-	-	-	64	1
138÷140	B2594	A	-	-	-	64	1
156÷158	B2585	O	-	-	-	75	1
158÷160	B2595	A	-	-	-	75	1
176÷178	B2586	O	-	-	-	83	1
178÷180	B2596	A	-	-	-	83	1



WALK IN 8

PARETE A 8MM / PANEL A 8MM
 PAROI A 8MM / PANEL A 8MM
 WAND A 8MM / WÄND A 8MM



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE





BM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





DG

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
78÷80	B2590	A	-	-	34	1
88÷90	B2591	A	-	-	39	1
98÷100	B2592	A	-	-	44	1
108÷110	B2597	A	-	-	44	1
118÷120	B2593	A	-	-	54	1
138÷140	B2594	A	-	-	64	1
158÷160	B2595	A	-	-	75	1
178÷180	B2596	A	-	-	83	1



WALK IN 8

PARETE A 8MM CON MENSOLA ATTREZZABILE / PANEL A 8MM WITH ACCESSORY SHELF
 PAROI A 8MM AVEC ÉTAGÈRE ACCESSOIRISABLE / PANEL A 8MM CON ESTANTE PARA ACCESORIOS
 DOUCHEWAND A 8MM MET MODULAIRE LEGLPLANK / DUSCHWAND A 8MM MIT AUSSTATTUNGSABLAGE



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
76÷78	B2550	O	-	-	-	34	1
78÷80	B2550	A	-	-	-	34	1
86÷88	B2551	O	-	-	-	39	1
88÷90	B2551	A	-	-	-	39	1
96÷98	B2552	O	-	-	-	44	1
98÷100	B2552	A	-	-	-	44	1
116÷118	B2553	O	-	-	-	54	1
118÷120	B2553	A	-	-	-	54	1
136÷138	B2554	O	-	-	-	64	1
138÷140	B2554	A	-	-	-	64	1
156÷158	B2555	O	-	-	-	75	1
158÷160	B2555	A	-	-	-	75	1
176÷178	B2556	O	-	-	-	83	1
178÷180	B2556	A	-	-	-	83	1



WALK IN 8


PARETE B 8MM / PANEL B 8MM
 PAROI B 8MM / PANEL B 8MM
 WAND B 8MM / WÄND B 8MM



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
20	B2590 B	-	-	-	14	1
30	B2591 B	-	-	-	18	1



WALK IN 8

PARETE C 8MM / PANEL C 8MM
 PAROI C 8MM / PANEL C 8MM
 WAND C 8MM / WÄND C 8MM



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
68÷70	B2590	C	-	14	1	1
78÷80	B2592	C	-	18	1	1



WALK IN 8

PARETE D 8MM / PANEL D 8MM
 PAROI D 8MM / PANEL D 8MM
 WAND D 8MM / WÄND D 8MM



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	D	A cm	B cm	C cm	KG	PCS
68÷70	B2590	D	-	-	-	40	1
78÷80	B2592	D	-	-	-	44	1
88÷90	B2594	D	-	-	-	49	1
98÷100	B2595	D	-	-	-	54	1



WALK IN 8

PARETE D 8MM CON MENSOLA ATTREZZABILE / PANEL D 8MM WITH ACCESSORY SHELF
 PAROI D 8MM AVEC ÉTAGÈRE ACCESSOIRISABLE / PANEL D 8MM CON ESTANTE PARA ACCESORIOS
 DOUCHEWAND D 8MM MET MODULAIRE LEGPLANK / DUSCHWAND D 8MM MIT AUSSTATTUNGSABLAGE



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	D	A cm	B cm	C cm	KG	PCS
78÷80	B2542	D	-	-	-	44	1
88÷90	B2544	D	-	-	-	49	1
98÷100	B2545	D	-	-	-	54	1



WALK IN 8

DEFLETTORE M 8MM / DEFLECTOR M 8MM
 DÉFLECTEUR M 8MM / DEFLECTOR M 8MM
 DEFLECTOR M 8MM / DEFLEKTOR M 8MM



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 46

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	M	A cm	B cm	C cm	KG	PCS
30	B2531	M	-	-	-	14	1
40	B2532	M	-	-	-	18	1
50	B2533	M	-	-	-	22	1



WALK IN 6

PARETE A 6MM / PANEL A 6MM
 PAROI A 6MM / PANEL A 6MM
 WAND A 6MM / WÄND A 6MM



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 41 45 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
76÷78	B2562	A	-	-	27	1
78÷80	B2572	A	-	-	27	1
86÷88	B2564	A	-	-	30	1
88÷90	B2574	A	-	-	30	1
96÷98	B2565	A	-	-	35	1
98÷100	B2575	A	-	-	35	1
116÷118	B2566	A	-	-	41	1
118÷120	B2576	A	-	-	41	1
136÷138	B2568	A	-	-	47	1
138÷140	B2578	A	-	-	47	1



WALK IN 6

PARETE B 6MM / PANEL B 6MM
 PAROI B 6MM / PANEL B 6MM
 WAND B 6MM / WÄND B 6MM



H. 200 CM
 SP. 6 MM




PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 41 45 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
20	B2560 B	-	-	-	9	1
30	B2561 B	-	-	-	10	1



WALK IN 6

PARETE C 6MM / PANEL C 6MM
 PAROI C 6MM / PANEL C 6MM
 WAND C 6MM / WÄND C 6MM



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 41 45 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
66÷68	B2560	C	-	-	-	26
76÷78	B2562	C	-	-	-	27



WALK IN 6


PARETE D 6MM / PANELD6MM
 PAROI D 6MM / PANEL D 6MM
 WAND D6MM / WÄND D 6MM



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 41 45 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
66÷68	B2560	D	-	-	27	1
76÷78	B2562	D	-	-	30	1
86÷88	B2564	D	-	-	33	1
96÷98	B2565	D	-	-	36	1



WALK IN 6


DEFLETTORE M 8MM / DEFLECTOR M 8MM
 DÉFLECTEUR M 8MM / DEFLECTOR M 8MM
 DEFLECTOR M 8MM / DEFLEKTOR M 8MM



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 80 41 45 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
30	B2561 M	-	-	-	10	1
40	B2562 M	-	-	-	11	1
50	B2563 M	-	-	-	12	1



WALK IN

PORTA BATTANTE DI CHIUSURA / CLOSING HINGED DOOR
 PORTE BATTANTE DE FERMETURE / PUERTA ABATIBLE DE CIERRE
 DRAAIENDE SLUITDEUR / DREHTÜR ZUR SCHLIESSUNG



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 41 73

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE



42 43 80 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
70÷85,9	B259X S/D	-	-	62÷78	25	1
86÷100	B259Y S/D	-	-	78÷92	32	1

