

CLAIRE DESIGN



telaio
frame / profilé
bastidor / frame /
rahmen

TT	WM	BM
AC	GB	BZ
MB		



vetro
glass / verre /
vidro / glas /
glas

01	14	80
42	43	41
73	90	

su richiesta / on request / en option / bajo pedido / Op aanvraag / Auf Anfrage




YOC
YOUR OWN COLOR


Grafite	Titanio	Blu denim
Avio	Platino	Creta
Seta	Perla	Avorio
Verde salvia	Verde felce	Bruno
Avana	Visone	Terra di luna



angolo
corner / d'angle /
esquina / Hoek /
Ecke



nicchia
recess / niche /
nicho / nis /
Nische



CLAIRE DESIGN


PORTA BATTENTE PER NICCHIA / HINGED DOOR FOR RECESS
 PORTE BATTANTE POUR NICHE / PUERTA ABATIBLE PARA NICHOS
 DRAAIDEUR VOOR NIS / DREHTÜR FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
57÷60	B2800	S/D	-	49,9	49,4	23	1
62÷65	B2801	S/D	-	54,9	54,4	25	1
67÷70	B2802	S/D	-	59,9	59,4	26	1
72÷75	B2803	S/D	-	64,9	64,4	27	1
77÷80	B2804	S/D	-	69,9	69,4	28	1
82÷85	B2805	S/D	-	74,9	74,4	29	1
87÷90	B2806	S/D	-	79,9	79,4	30	1
92÷95	B2807	S/D	-	84,9	84,4	32	1
97÷100	B2808	S/D	-	89,8	89,3	33	1



CLAIRE DESIGN


PORTA BATTENTE PER PARETE FISSA / HINGED DOOR FOR FIXED PANEL
 PORTE BATTANTE POUR PAROI FIXE / PUERTA ABATIBLE PARA PANEL FIJO
 DRAAIDEUR VOOR VASTE WAND / DREHTÜR FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B2941	S/D	65,5÷67,5	-	59,2	59,6	25	1
72÷74	B2942	S/D	70,5÷72,5	-	64,2	64,6	27	1
77÷79	B2943	S/D	75,5÷77,5	-	69,2	69,6	28	1
82÷84	B2944	S/D	80,5÷82,5	-	74,2	74,6	29	1
87÷89	B2945	S/D	85,5÷87,5	-	79,2	79,6	30	1
97÷99	B2946	S/D	95,5÷97,5	-	89,2	89,6	33	1



L1 cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3000	0	65,5÷67,5	-	-	-	25	1
69÷71	B3001	0	67,5÷69,5	-	-	-	26	1
72÷74	B3002	0	70,5÷72,5	-	-	-	27	1
74÷76	B3003	0	72,5÷74,5	-	-	-	27	1
77÷79	B3004	0	75,5÷77,5	-	-	-	28	1
79÷81	B3005	0	77,5÷79,5	-	-	-	28	1
82÷84	B3006	0	80,5÷82,5	-	-	-	29	1
84÷86	B3007	0	82,5÷84,5	-	-	-	30	1
87÷89	B3008	0	85,5÷87,5	-	-	-	30	1
89÷91	B3009	0	87,5÷89,5	-	-	-	31	1
97÷99	B3010	0	95,5÷97,5	-	-	-	33	1
99÷101	B3011	0	97,5÷99,5	-	-	-	33	1
107÷109	B3012	0	105,5÷107,5	-	-	-	35	1
109÷111	B3013	0	107,5÷109,5	-	-	-	35	1
117÷119	B3014	0	115,5÷117,5	-	-	-	37	1
119÷121	B3015	0	117,5÷119,5	-	-	-	38	1



CLAIRE DESIGN


PORTA BATTENTE PER ANGOLO / HINGED DOOR FOR CORNER
 PORTE BATTANTE POUR ANGLE / PUERTA ABATIBLE PARA ESQUINA
 DRAAIDEUR VOOR HOEK / DREHTÜR FÜR ECKE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B2900	S/D	65,5÷67,5	-	59,7	21,5	25	1
72÷74	B2901	S/D	70,5÷72,5	-	64,7	23,3	27	1
77÷79	B2902	S/D	75,5÷77,5	-	69,8	25	28	1
82÷84	B2903	S/D	80,5÷82,5	-	74,7	26,8	29	1
87÷89	B2904	S/D	85,5÷87,5	-	79,7	28,5	30	1
97÷99	B2905	S/D	95,5÷97,5	-	89,8	32,3	33	1



CLAIRE DESIGN


PORTA BATTENTE CON ELEMENTO FISSO PER NICCHIA / HINGED DOOR WITH IN-LINE FIXED PANEL FOR RECESS
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR NICHE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA NICHOS
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR NIS / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE




42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	A cm	B cm	C cm	KG	PCS
67÷70	B2810	S/D	21,9÷23,9	42,1	41,7	26	1
72÷75	B2811	S/D	22,2÷24,2	46,7	46,3	27	1
77÷80	B2812	S/D	24,2÷26,2	49,8	49,4	28	1
82÷85	B2813	S/D	24,2÷26,2	54,8	54,4	29	1
87÷90	B2814	S/D	24,2÷26,2	59,8	59,4	30	1
92÷95	B2815	S/D	27,9÷29,9	61,1	60,7	32	1
97÷100	B2816	S/D	29,1÷31,1	64,8	64,4	33	1
102÷105	B2817	S/D	34,2÷36,2	64,8	64,4	34	1
107÷110	B2818	S/D	34,2÷36,2	69,8	69,4	35	1
112÷115	B2819	S/D	39,2÷41,2	69,8	69,4	36	1
117÷120	B2820	S/D	39,2÷41,2	74,8	74,4	38	1
127÷130	B2821	S/D	59,2÷61,2	74,8	74,4	42	1



CLAIRE DESIGN

PORTA BATTENTE CON ELEMENTO FISSO PER PARETE FISSA / HINGED DOOR WITH IN-LINE FIXED PANEL FOR FIXED PANEL
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR PAROI FIXE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA PANEL FIJO
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR VASTE WAND / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS







01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 41 73 90




DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Lcm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B2920	S/D	65,5÷67,5	21,5÷23,5	41,7	42,2	25	1
72÷74	B2921	S/D	70,5÷72,5	21,5÷23,5	46,7	47,2	27	1
77÷79	B2922	S/D	75,5÷77,5	21,5÷23,5	51,7	52,2	28	1
82÷84	B2923	S/D	80,5÷82,5	23,3÷25,3	54,9	55,4	29	1
87÷89	B2924	S/D	85,5÷87,5	22,2÷24,2	61,1	61,6	30	1
97÷99	B2925	S/D	95,5÷97,5	28,4÷30,4	64,8	65,3	33	1
107÷109	B2926	S/D	105,5÷107,5	33,4÷35,4	69,8	70,3	35	1
117÷119 ¹	B2927	S/D	115,5÷117,5	38,4÷40,4	74,8	75,3	37	1
137÷139 ¹	B2928	S/D	135,5÷137,5	58,4÷60,4	74,8	75,3	42	1



L1cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3000	O	65,5÷67,5	-	-	-	25	1
69÷71	B3001	O	67,5÷69,5	-	-	-	26	1
72÷74	B3002	O	70,5÷72,5	-	-	-	27	1
74÷76	B3003	O	72,5÷74,5	-	-	-	27	1
77÷79	B3004	O	75,5÷77,5	-	-	-	28	1
79÷81	B3005	O	77,5÷79,5	-	-	-	28	1
82÷84	B3006	O	80,5÷82,5	-	-	-	29	1
84÷86	B3007	O	82,5÷84,5	-	-	-	30	1
87÷89	B3008	O	85,5÷87,5	-	-	-	30	1
89÷91	B3009	O	87,5÷89,5	-	-	-	31	1
97÷99	B3010	O	95,5÷97,5	-	-	-	33	1
99÷101	B3011	O	97,5÷99,5	-	-	-	33	1
107÷109	B3012	O	105,5÷107,5	-	-	-	35	1
109÷111	B3013	O	107,5÷109,5	-	-	-	35	1
117÷119	B3014	O	115,5÷117,5	-	-	-	37	1
119÷121	B3015	O	117,5÷119,5	-	-	-	38	1



CLAIRE DESIGN


PORTA BATTENTE CON ELEMENTO FISSO PER ANGOLO / HINGED DOOR WITH IN-LINE FIXED PANEL FOR CORNER
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR ANGLE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA ESQUINA
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR HOEK / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR ECKE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B2910	S/D	65,5÷67,5	21,9÷23,9	42,1	30,4	25	1
72÷74	B2911	S/D	70,5÷72,5	24,2÷26,2	44,9	32,4	27	1
77÷79	B2912	S/D	75,5÷77,5	24,2÷26,2	49,9	36	28	1
82÷84	B2913	S/D	80,5÷82,5	24,2÷26,2	54,9	39,5	29	1
87÷89	B2914	S/D	85,5÷87,5	24,4÷26,4	59,7	43	30	1
97÷99	B2915	S/D	95,5÷97,5	29,1÷31,1	64,9	46,5	33	1
107÷109	B2916	S/D	105,5÷107,5	34,2÷36,2	69,9	50,1	35	1
117÷119	B2917	S/D	115,5÷117,5	39,2÷41,2	74,9	53,6	37	1
137÷139	B2918	S/D	135,5÷137,5	59,2÷61,2	74,9	53,6	42	1



CLAIRE DESIGN


PORTA BATTENTE SU ELEMENTO FISSO PER NICCHIA / HINGED DOOR ON IN-LINE FIXED PANEL FOR RECESS
 PORTE BATTANTE SUR ÉLÉMENT FIXE EN LIGNE POUR NICHE / PUERTA ABATIBLE SOBRE PANEL FIJO EN LÍNEA PARA NICHOS
 DRAAIDEUR OP VAST IN-LINE PANEEL VOOR NIS / DREHTÜR AUF FESTSTEHENDEM ELEMENT IN LINIE FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	A cm	B cm	C cm	KG	PCS
97÷101	B2830	S/D	35÷37	56,2	56,7	33	1
102÷106	B2831	S/D	40÷42	56,2	56,7	34	1
107÷111	B2832	S/D	41,9÷43,9	59,3	59,8	35	1
112÷116	B2833	S/D	41,9÷43,9	64,3	64,8	36	1
117÷121	B2834	S/D	43,9÷45,9	67,3	67,8	37	1
127÷131	B2835	S/D	49,8÷51,8	71,4	71,9	40	1
137÷141	B2836	S/D	56,9÷58,9	74,3	74,8	42	1
147÷151	B2837	S/D	66,9÷68,9	74,3	74,8	45	2
157÷161	B2838	S/D	71,9÷73,9	79,3	79,8	47	2
167÷171	B2839	S/D	72,8÷74,8	88,4	88,9	49	2
177÷181	B2840	S/D	81,7÷83,7	89,4	89,9	52	2



CLAIRE DESIGN


PORTA BATTENTE SU ELEMENTO FISSO PER PARETE FISSA / HINGED DOOR ON IN-LINE FIXED PANEL FOR FIXED PANEL
 PORTE BATTANTE SUR ÉLÉMENT FIXE EN LIGNE POUR PAROI FIXE / PUERTA ABATIBLE SOBRE PANEL FIJO EN LÍNEA PARA PANEL FIJO
 DRAAIDEUR OP VAST IN-LINE PANEEL VOOR VASTE WAND / DREHTÜR AUF FESTSTEHENDEM ELEMENT IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90


DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
97÷99	B2930	S/D	95,5÷97,5	34,8	56,2	56,8	33	1
102÷104	B2931	S/D	100,5÷102,5	39,8	56,2	56,8	34	1
107÷109	B2932	S/D	105,5÷107,5	41,7	59,3	59,9	35	1
112÷114	B2933	S/D	110,5÷112,5	41,7	64,3	64,9	36	1
117÷119 ¹	B2934	S/D	115,5÷117,5	43,7	67,3	67,9	37	1
127÷129 ¹	B2935	S/D	125,5÷127,5	49,6	71,4	72	40	1
137÷139 ¹	B2936	S/D	135,5÷137,5	57,6	73,4	74	42	1
147÷149 ¹	B2937	S/D	145,5÷147,5	67,9	73,1	73,7	45	2
157÷159 ¹	B2938	S/D	155,5÷157,5	71,7	79,3	79,9	47	2
167÷169 ¹	B2939	S/D	165,5÷167,5	72,6	88,4	89	49	2
177÷179 ¹	B2940	S/D	175,5÷177,5	81,3	89,7	90,3	52	2



L1 cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3000	0	65,5÷67,5	-	-	-	25	1
69÷71	B3001	0	67,5÷69,5	-	-	-	26	1
72÷74	B3002	0	70,5÷72,5	-	-	-	27	1
74÷76	B3003	0	72,5÷74,5	-	-	-	27	1
77÷79	B3004	0	75,5÷77,5	-	-	-	28	1
79÷81	B3005	0	77,5÷79,5	-	-	-	28	1
82÷84	B3006	0	80,5÷82,5	-	-	-	29	1
84÷86	B3007	0	82,5÷84,5	-	-	-	30	1
87÷89	B3008	0	85,5÷87,5	-	-	-	30	1
89÷91	B3009	0	87,5÷89,5	-	-	-	31	1
97÷99	B3010	0	95,5÷97,5	-	-	-	33	1
99÷101	B3011	0	97,5÷99,5	-	-	-	33	1
107÷109	B3012	0	105,5÷107,5	-	-	-	35	1
109÷111	B3013	0	107,5÷109,5	-	-	-	35	1
117÷119	B3014	0	115,5÷117,5	-	-	-	37	1
119÷121	B3015	0	117,5÷119,5	-	-	-	38	1



CLAIRE DESIGN

PORTA BATTENTE CON 2 ELEMENTI FISSI PER NICCHIA / HINGED DOOR WITH 2 IN-LINE FIXED PANELS FOR RECESS
 PORTE BATTANTE AVEC 2 ÉLÉMENTS FIXES EN LIGNE POUR NICHE / PUERTA ABATIBLE CON 2 PANELES FIJOS EN LÍNEA PARA NICHOS
 DRAAIDEUR MET 2 VASTE IN-LINE PANELEN VOOR NIS / DREHTÜR MIT 2 FESTSTEHENDEN ELEMENTEN IN LINIE FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	A cm	B cm	C cm	D cm	KG	PCS
97÷101	B2850	S/D	21,9÷23,9	53,1	53,6	20,3÷22,3	33	1
102÷106	B2851	S/D	24,4÷26,4	53,1	53,6	22,8÷24,8	34	1
107÷111	B2852	S/D	24,4÷26,4	58,1	58,6	22,8÷24,8	35	1
112÷116	B2853	S/D	26,9÷28,9	58,1	58,6	25,3÷27,3	36	1
117÷121	B2854	S/D	27,9÷29,9	61,1	61,6	26,3÷28,3	37	1
127÷131	B2855	S/D	31,9÷33,9	63,1	63,6	30,3÷32,3	40	1
137÷141	B2856	S/D	31,9÷33,9	73,1	73,6	30,3÷32,3	42	1
147÷151	B2857	S/D	36,9÷38,9	73,1	73,6	35,3÷37,3	45	2
157÷161	B2858	S/D	41,9÷43,9	73,1	73,6	40,3÷42,3	47	2
167÷171	B2859	S/D	43,9÷45,9	79,1	79,6	42,3÷44,3	49	2
177÷181	B2860	S/D	45,4÷47,4	86,1	86,6	43,8÷45,8	52	2



CLAIRE DESIGN


PORTA BATTENTE CON 2 ELEMENTI FISSI PER PARETE FISSA / HINGED DOOR WITH 2 IN-LINE FIXED PANELS FOR FIXED PANEL
 PORTE BATTANTE AVEC 2 ÉLÉM. FIXES EN LIGNE POUR PARI OI FIXE / PUERTA ABATIBLE CON 2 PAN. FIJOS EN LÍNEA PARA PANEL FIJO
 DRAAIDEUR MET 2 VASTE IN-LINE PANELEN VOOR VASTE WAND / DREHTÜR MIT 2 FESTSTEHENDEN ELEMENTEN IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90


DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	C.V. cm	A cm	B cm	C cm	D cm	KG	PCS
97÷99	B2950	S/D	95,5÷97,5	21,5÷23,5	53,1	53,6	20,7	33	1
102÷104	B2951	S/D	100,5÷102,5	24÷26	53,1	53,6	23,2	34	1
107÷109	B2952	S/D	105,5÷107,5	24÷26	58,1	58,6	23,2	35	1
112÷114	B2953	S/D	110,5÷112,5	26,5÷28,5	58,1	58,6	25,7	36	1
117÷119	B2954	S/D	115,5÷117,5	27,5÷29,5	61,1	61,6	26,7	37	1
127÷129	B2955	S/D	125,5÷127,5	31,5÷33,5	63,1	63,6	30,7	40	1
137÷139	B2956	S/D	135,5÷137,5	31,5÷33,5	73,1	73,6	30,7	42	1
147÷149	B2957	S/D	145,5÷147,5	36,5÷38,5	73,1	73,6	35,7	45	2
157÷159 ¹	B2958	S/D	155,5÷157,5	41,5÷43,5	73,1	73,6	40,7	47	2
167÷169 ¹	B2959	S/D	165,5÷167,5	43,4÷45,4	79,3	79,8	42,6	49	2
177÷179 ¹	B2960	S/D	175,5÷177,5	45÷47	86,1	86,6	44,2	52	2



L1 cm	COD.	C.V. cm	A cm	B cm	C cm	D cm	KG	PCS
67÷69	B3000	0	65,5÷67,5	-	-	-	25	1
69÷71	B3001	0	67,5÷69,5	-	-	-	26	1
72÷74	B3002	0	70,5÷72,5	-	-	-	27	1
74÷76	B3003	0	72,5÷74,5	-	-	-	27	1
77÷79	B3004	0	75,5÷77,5	-	-	-	28	1
79÷81	B3005	0	77,5÷79,5	-	-	-	28	1
82÷84	B3006	0	80,5÷82,5	-	-	-	29	1
84÷86	B3007	0	82,5÷84,5	-	-	-	30	1
87÷89	B3008	0	85,5÷87,5	-	-	-	30	1
89÷91	B3009	0	87,5÷89,5	-	-	-	31	1
97÷99	B3010	0	95,5÷97,5	-	-	-	33	1
99÷101	B3011	0	97,5÷99,5	-	-	-	33	1
107÷109	B3012	0	105,5÷107,5	-	-	-	35	1
109÷111	B3013	0	107,5÷109,5	-	-	-	35	1
117÷119	B3014	0	115,5÷117,5	-	-	-	37	1
119÷121	B3015	0	117,5÷119,5	-	-	-	38	1



CLAIRE DESIGN


PORTA SALOON PER NICCHIA / SALOON DOOR FOR RECESS
 PORTE SALOON POUR NICHE / PUERTA SALOON PARA NICHOS
 SALOONDEUR VOOR NIS / SALOONTÜR FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	KG	PCS
62÷66	B2870	0	-	25,2	51,4	24
67÷71	B2871	0	-	27,7	56,4	25
72÷76	B2872	0	-	30,2	61,4	27
77÷81	B2873	0	-	32,7	66,4	28
82÷86	B2874	0	-	35,2	71,4	29
87÷91	B2875	0	-	37,7	76,4	30
92÷96	B2876	0	-	40,2	81,4	31
97÷101	B2877	0	-	42,7	86,4	33
117÷121	B2878	0	-	52,7	106,4	37



CLAIRE DESIGN


PORTA SALOON PER PARETE FISSA / SALOON DOOR FOR FIXED PANEL
 PORTE SALOON POUR PAROI FIXE / PUERTA SALOON PARA PANEL FIJO
 SALOONDEUR VOOR VASTE WAND / SALOONTÜR FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 41 73 90




DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Lcm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B2970	O	65,5÷67,5	-	26,7	54,4	25	1
72÷74	B2971	O	70,5÷72,5	-	29,2	59,4	27	1
77÷79	B2972	O	75,5÷77,5	-	31,7	64,4	28	1
82÷84	B2973	O	80,5÷82,5	-	34,2	69,4	29	1
87÷89	B2974	O	85,5÷87,5	-	36,7	74,4	30	1
97÷99	B2975	O	95,5÷97,5	-	41,7	84,4	33	1
107÷109	B2976	O	105,5÷107,5	-	46,7	94,4	35	1
117÷119	B2977	O	115,5÷117,5	-	51,7	104,4	37	1



L1cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3020	O	65,5÷67,5	-	-	-	25	1
69÷71	B3021	O	67,5÷69,5	-	-	-	26	1
72÷74	B3022	O	70,5÷72,5	-	-	-	27	1
74÷76	B3023	O	72,5÷74,5	-	-	-	27	1
77÷79	B3024	O	75,5÷77,5	-	-	-	28	1
79÷81	B3025	O	77,5÷79,5	-	-	-	28	1
82÷84	B3026	O	80,5÷82,5	-	-	-	29	1
84÷86	B3027	O	82,5÷84,5	-	-	-	30	1
87÷89	B3028	O	85,5÷87,5	-	-	-	30	1
89÷91	B3029	O	87,5÷89,5	-	-	-	31	1
97÷99	B3030	O	95,5÷97,5	-	-	-	33	1
99÷101	B3031	O	97,5÷99,5	-	-	-	33	1
107÷109	B3032	O	105,5÷107,5	-	-	-	35	1
109÷111	B3033	O	107,5÷109,5	-	-	-	35	1
117÷119	B3034	O	115,5÷117,5	-	-	-	37	1
119÷121	B3035	O	117,5÷119,5	-	-	-	38	1



CLAIRE DESIGN

PORTA SALOON CON ELEMENTO FISSO PER NICCHIA / SALOON DOOR WITH IN-LINE FIXED PANEL FOR RECESS
 PORTE SALOON AVEC ÉLÉMENT FIXE EN LIGNE POUR NICHE / PUERTA SALOON CON PANEL FIJO EN LÍNEA PARA NICHOS
 SALOONDEUR MET VAST IN-LINE PANEEL VOOR NIS / SALOONTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR NICHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE



42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	A cm	B cm	C cm	KG	PCS
117÷121	B2880	S/D	24,2÷26,2	42,7	86,4	37	1
127÷131	B2881	S/D	29,1÷31,1	45,2	91,4	40	1
137÷141	B2882	S/D	34,2÷36,2	47,7	96,4	42	1
147÷151	B2883	S/D	39,2÷41,2	50,2	101,4	45	2
157÷161	B2884	S/D	44,2÷46,2	52,7	106,4	47	2

