

PRAIA DESIGN



telaio
frame / profilé
bastidor / frame /
rahmen

TT	WM	BM
AC	GB	BZ
MB		



vetro
glass / verre /
vidro / glas /
glas

01	14	80
42	43	41
73	90	

su richiesta / on request / en option / bajo pedido / Op aanvraag / Auf Anfrage




YOC
YOUR OWN COLOR

Grafite	Titanio	Blu denim
Avio	Platino	Creta
Seta	Perla	Avorio
Verde salvia	Verde felce	Bruno
Avana	Visone	Terra di luna



angolo
corner / d'angle /
esquina / Hoek /
Ecke



nicchia
recess / niche /
nicho / nis /
Nische



PRAIA DESIGN


PORTA BATTENTE CON ELEMENTO FISSO PER NICCHIA / HINGED DOOR WITH IN-LINE FIXED PANEL FOR RECESS
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR NICHE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA NICHOS
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR NIS / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
67÷70	B3110	<i>S/D</i>	23,7÷25,7	41,7	38,9	26	1
72÷75	B3111	<i>S/D</i>	25,4÷27,4	44,9	42,1	27	1
77÷80	B3112	<i>S/D</i>	24,5÷26,5	50,9	48,1	28	1
82÷85	B3113	<i>S/D</i>	29,4÷31,4	50,9	48,1	29	1
87÷90	B3114	<i>S/D</i>	28,4÷30,4	56,9	54,1	30	1
92÷95	B3115	<i>S/D</i>	33,4÷35,4	56,9	54,1	32	1
97÷100	B3116	<i>S/D</i>	33,4÷35,4	61,9	59,1	33	1
102÷105	B3117	<i>S/D</i>	38,4÷40,4	61,9	59,1	34	1
107÷110	B3118	<i>S/D</i>	38,4÷40,4	66,9	64,1	35	1
112÷115	B3119	<i>S/D</i>	43,4÷45,4	66,9	64,1	36	1
117÷120	B3120	<i>S/D</i>	43,4÷45,4	71,9	69,1	38	1
137÷140	B3121	<i>S/D</i>	63,4÷65,4	71,9	69,1	42	1



PRAIA DESIGN


PORTA BATTENTE CON ELEMENTO FISSO PER PARETE FISSA / HINGED DOOR WITH IN-LINE FIXED PANEL FOR FIXED PANEL
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR PAROI FIXE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA PANEL FIJO
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR VASTE WAND / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS









01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3220	S/D	65,5÷67,5	23,4÷25,4	41,7	39,9	25	1
72÷74	B3221	S/D	70,5÷72,5	25,3÷27,3	44,9	43,1	27	1
77÷79	B3222	S/D	75,5÷77,5	24,3÷26,3	50,9	49,1	28	1
82÷84	B3223	S/D	80,5÷82,5	29,3÷31,3	50,9	49,1	29	1
87÷89	B3224	S/D	85,5÷87,5	28,3÷30,3	56,9	55,1	30	1
97÷99	B3225	S/D	95,5÷97,5	33,3÷35,3	61,9	60,1	33	1
107÷109	B3226	S/D	105,5÷107,5	38,3÷40,3	66,9	65,1	35	1
117÷119 ¹	B3227	S/D	115,5÷117,5	43,3÷45,3	71,9	70,1	37	1
137÷139 ¹	B3228	S/D	135,5÷137,5	63,3÷65,3	71,9	70,1	42	1



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3040	0	65,5÷67,5	-	-	-	25	1
69÷71	B3041	0	67,5÷69,5	-	-	-	26	1
72÷74	B3042	0	70,5÷72,5	-	-	-	27	1
74÷76	B3043	0	72,5÷74,5	-	-	-	27	1
77÷79	B3044	0	75,5÷77,5	-	-	-	28	1
79÷81	B3045	0	77,5÷79,5	-	-	-	28	1
82÷84	B3046	0	80,5÷82,5	-	-	-	29	1
84÷86	B3047	0	82,5÷84,5	-	-	-	30	1
87÷89	B3048	0	85,5÷87,5	-	-	-	30	1
89÷91	B3049	0	87,5÷89,5	-	-	-	31	1
97÷99	B3050	0	95,5÷97,5	-	-	-	33	1
99÷101	B3051	0	97,5÷99,5	-	-	-	33	1
107÷109	B3052	0	105,5÷107,5	-	-	-	35	1
109÷111	B3053	0	107,5÷109,5	-	-	-	35	1
117÷119	B3054	0	115,5÷117,5	-	-	-	37	1
119÷121	B3055	0	117,5÷119,5	-	-	-	38	1



PRAIA DESIGN


PORTA BATTENTE CON ELEMENTO FISSO PER ANGOLO / HINGED DOOR WITH IN-LINE FIXED PANEL FOR CORNER
 PORTE BATTANTE AVEC ÉLÉMENT FIXE EN LIGNE POUR ANGLE / PUERTA ABATIBLE CON PANEL FIJO EN LÍNEA PARA ESQUINA
 DRAAIDEUR MET VAST IN-LINE PANEEL VOOR HOEK / DREHTÜR MIT FESTSTEHENDEM ELEMENT IN LINIE FÜR ECKE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS







01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3210	S/D	65,5÷67,5	23,4÷25,4	41,7	29	25	1
72÷74	B3211	S/D	70,5÷72,5	25,3÷27,3	44,9	31,3	27	1
77÷79	B3212	S/D	75,5÷77,5	24,3÷26,3	50,9	35,5	28	1
82÷84	B3213	S/D	80,5÷82,5	29,3÷31,3	50,9	35,5	29	1
87÷89	B3214	S/D	85,5÷87,5	28,3÷30,3	56,9	39,8	30	1
97÷99	B3215	S/D	95,5÷97,5	33,3÷35,3	61,9	43,3	33	1
107÷109	B3216	S/D	105,5÷107,5	38,3÷40,3	66,9	46,8	35	1
117÷119	B3217	S/D	115,5÷117,5	43,3÷45,3	71,9	50,3	37	1
137÷139	B3218	S/D	135,5÷137,5	63,3÷65,3	71,9	50,3	42	1



PRAIA DESIGN

PORTA BATTENTE CON 2 ELEMENTI FISSI PER NICCHIA / HINGED DOOR WITH 2 IN-LINE FIXED PANELS FOR RECESS
 PORTE BATTANTE AVEC 2 ÉLÉMENTS FIXES EN LIGNE POUR NICHE / PUERTA ABATIBLE CON 2 PANELES FIJOS EN LÍNEA PARA NICHOS
 DRAAIDEUR MET 2 VASTE IN-LINE PANELEN VOOR NIS / DREHTÜR MIT 2 FESTSTEHENDEN ELEMENTEN IN LINIE FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	D cm	KG	PCS
97÷101	B3150	S/D	21,2÷23,2	55,1	53,3	20,9÷22,9	33	1
102÷106	B3151	S/D	23,7÷25,7	55,1	53,3	23,4÷25,4	34	1
107÷111	B3152	S/D	23,7÷25,7	60,1	58,3	23,4÷25,4	35	1
112÷116	B3153	S/D	26,2÷28,2	60,1	58,3	25,9÷27,9	36	1
117÷121	B3154	S/D	27,2÷29,2	63,1	61,3	26,9÷28,9	37	1
127÷131	B3155	S/D	33,2÷35,2	63,1	61,3	30,9÷32,9	40	1
137÷141	B3156	S/D	36,2÷38,2	70,1	68,3	30,9÷32,9	42	1
147÷151	B3157	S/D	40,8÷42,8	70,1	68,3	36,3÷38,3	45	2
157÷161	B3158	S/D	46,2÷48,2	70,1	68,3	40,9÷42,9	47	2
167÷171	B3159	S/D	46,9÷48,9	71,9	70,1	48,4÷50,4	49	2
177÷181	B3160	S/D	56,9÷58,9	71,9	70,1	48,4÷50,4	52	2



PRAIA DESIGN


PORTA BATTENTE CON 2 ELEMENTI FISSI PER PARETE FISSA / HINGED DOOR WITH 2 IN-LINE FIXED PANELS FOR FIXED PANEL
 PORTE BATTANTE AVEC 2 ÉLÉM. FIXES EN LIGNE POUR PAROI FIXE / PUERTA ABATIBLE CON 2 PAN. FIJOS EN LÍNEA PARA PANEL FIJO
 DRAAIDEUR MET 2 VASTE IN-LINE PANELEN VOOR VASTE WAND / DREHTÜR MIT 2 FESTSTEHENDEN ELEMENTEN IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS








01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Lcm	COD.		C.V. cm	Acm	Bcm	Ccm	Dcm	KG	PCS
97÷99	B3250	S/D	95,5÷97,5	21,2÷23,2	55,1	53,3	20,3	33	1
102÷104	B3251	S/D	100,5÷102,5	23,7÷25,7	55,1	53,3	22,8	34	1
107÷109	B3252	S/D	105,5÷107,5	23,7÷25,7	60,1	58,3	22,8	35	1
112÷114	B3253	S/D	110,5÷112,5	26,2÷28,2	60,1	58,3	25,3	36	1
117÷119	B3254	S/D	115,5÷117,5	27,2÷29,2	63,1	61,3	26,3	37	1
127÷129	B3255	S/D	125,5÷127,5	33,2÷35,2	63,1	61,3	30,3	40	1
137÷139	B3256	S/D	135,5÷137,5	36,2÷38,2	70,1	68,3	30,3	42	1
147÷149	B3257	S/D	145,5÷147,5	40,8÷42,8	70,1	68,3	35,7	45	2
157÷159 ¹	B3258	S/D	155,5÷157,5	46,2÷48,2	70,1	68,3	40,3	47	2
167÷169 ¹	B3259	S/D	165,5÷167,5	46,9÷48,9	71,9	70,1	47,8	49	2
177÷179 ¹	B3260	S/D	175,5÷177,5	56,9÷58,9	71,9	70,1	47,8	52	2



L1cm	COD.		C.V. cm	Acm	Bcm	Ccm	Dcm	KG	PCS
67÷69	B3090	0	65,5÷67,5	-	-	-	-	25	1
69÷71	B3091	0	67,5÷69,5	-	-	-	-	26	1
72÷74	B3092	0	70,5÷72,5	-	-	-	-	27	1
74÷76	B3093	0	72,5÷74,5	-	-	-	-	27	1
77÷79	B3094	0	75,5÷77,5	-	-	-	-	28	1
79÷81	B3095	0	77,5÷79,5	-	-	-	-	28	1
82÷84	B3096	0	80,5÷82,5	-	-	-	-	29	1
84÷86	B3097	0	82,5÷84,5	-	-	-	-	30	1
87÷89	B3098	0	85,5÷87,5	-	-	-	-	30	1
89÷91	B3099	0	87,5÷89,5	-	-	-	-	31	1
97÷99	B3100	0	95,5÷97,5	-	-	-	-	33	1
99÷101	B3101	0	97,5÷99,5	-	-	-	-	33	1
107÷109	B3102	0	105,5÷107,5	-	-	-	-	35	1
109÷111	B3103	0	107,5÷109,5	-	-	-	-	35	1
117÷119	B3104	0	115,5÷117,5	-	-	-	-	37	1
119÷121	B3105	0	117,5÷119,5	-	-	-	-	38	1



PRAIA DESIGN

PORTA A SOFFIETTO PER NICCHIA / FOLDING DOOR FOR RECESS
 PORTE PLIANTE POUR NICHE / PUERTA PLEGABLE PARA NICHIO
 VOUWDEUR VOOR NIS / FALTTÜR FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
57÷60	B3130	S/D	-	28,9	46,7	23	1
62÷65	B3131	S/D	-	31,4	51,7	25	1
67÷70	B3132	S/D	-	33,7	56,7	26	1
72÷75	B3133	S/D	-	36,2	61,7	27	1
77÷80	B3134	S/D	-	38,7	66,7	28	1
82÷85	B3135	S/D	-	41,2	71,7	29	1
87÷90	B3136	S/D	-	43,7	76,7	30	1
92÷95	B3137	S/D	-	46,4	81,7	32	1
97÷100	B3138	S/D	-	48,7	86,7	33	1
117÷120	B3139	S/D	-	58,7	106,7	38	1



PRAIA DESIGN


PORTA A SOFFIETTO PER PARETE FISSA / FOLDING DOOR FOR FIXED PANEL
 PORTE PLIANTE POUR PAROI FIXE / PUERTA PLEGABLE PARA PANEL FIJO
 VOUVDEUR VOOR VASTE WAND / FALTTÜR FÜR SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS








01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	C.V. cm	A cm	B cm	C cm	KG	PCS	
67÷69	B3230	S/D	65,5÷67,5	-	33,7	58,4	25	1
72÷74	B3231	S/D	70,5÷72,5	-	36,2	63,4	27	1
77÷79	B3232	S/D	75,5÷77,5	-	38,7	68,4	28	1
82÷84	B3233	S/D	80,5÷82,5	-	41,2	73,4	29	1
87÷89	B3234	S/D	85,5÷87,5	-	43,7	78,4	30	1
97÷99	B3235	S/D	95,5÷97,5	-	48,7	88,4	33	1
117÷119	B3236	S/D	115,5÷117,5	-	58,7	108,4	37	1



L1 cm	COD.	C.V. cm	A cm	B cm	C cm	KG	PCS
67÷69	B3040	0	65,5÷67,5	-	-	25	1
69÷71	B3041	0	67,5÷69,5	-	-	26	1
72÷74	B3042	0	70,5÷72,5	-	-	27	1
74÷76	B3043	0	72,5÷74,5	-	-	27	1
77÷79	B3044	0	75,5÷77,5	-	-	28	1
79÷81	B3045	0	77,5÷79,5	-	-	28	1
82÷84	B3046	0	80,5÷82,5	-	-	29	1
84÷86	B3047	0	82,5÷84,5	-	-	30	1
87÷89	B3048	0	85,5÷87,5	-	-	30	1
89÷91	B3049	0	87,5÷89,5	-	-	31	1
97÷99	B3050	0	95,5÷97,5	-	-	33	1
99÷101	B3051	0	97,5÷99,5	-	-	33	1
107÷109	B3052	0	105,5÷107,5	-	-	35	1
109÷111	B3053	0	107,5÷109,5	-	-	35	1
117÷119	B3054	0	115,5÷117,5	-	-	37	1
119÷121	B3055	0	117,5÷119,5	-	-	38	1



CODICE / CODE / CODE
 CÓDIGO / CODE / CODE

B3230 S/D TT 011A

S SINISTRA / LEFT / GAUCHE / IZQUIERDA / LINKS / LINKS
 D DESTRA / RIGHT / DROITE / DERECHA / RECHTS / RECHTS

PRAIA DESIGN

PORTA A SOFFIETTO PER ANGOLO / FOLDING DOOR FOR CORNER
 PORTE PLIANTE POUR ANGLE / PUERTA PLEGABLE PARA ESQUINA
 VOUWDEUR VOOR HOEK / FALTTÜR FÜR ECKE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM BM AC GB BZ MB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS







01 14 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE



42 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	C.V. cm	A cm	B cm	C cm	KG	PCS	
67÷69	B3240	S/D	65,5÷67,5	-	33,7	38,4	25	1
72÷74	B3241	S/D	70,5÷72,5	-	36,2	42	27	1
77÷79	B3242	S/D	75,5÷77,5	-	38,7	45,5	28	1
82÷84	B3243	S/D	80,5÷82,5	-	41,2	49	29	1
87÷89	B3244	S/D	85,5÷87,5	-	43,7	52,5	30	1
97÷99	B3245	S/D	95,5÷97,5	-	48,7	59,6	33	1
117÷119	B3246	S/D	115,5÷117,5	-	58,7	73,8	37	1

