

# RAPID




**telaio**  
frame / profilé  
bastidor / frame /  
rahmen




**vetro**  
glass / verre /  
vidro / glas /  
glas




**angolo**  
corner / d'angle /  
esquina / Hoek /  
Ecke



**nicchia**  
recess / niche /  
nicho / nis /  
Nische



**tre lati**  
three sides / trois côtés /  
tres lados / driezijdig /  
Dreiseitig



# RAPID

ANGOLO COMPLETO QUADRATO CON PORTE SCORREVOLI / SQUARE CORNER WITH SLIDING DOORS  
 ANGLE CARRÉ AVEC PORTES COULISSANTES / ÁNGULO CUADRADO CON PUERTAS CORREDERAS  
 VIERKANTE HOEKOPSTELLING MET SCHUIFDEUREN / QUADRATISCHE ECKLÖSUNG MIT SCHIEBETÜREN



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




O1


## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo  
 Corner installation  
 Installation angulaire  
 Instalación angular  
 Hoekinstallatie  
 Eckmontage





Giunzione superiore installazione lato angolo  
 Upper junction - corner side installation  
 Jonction supérieure - installation côté angle  
 Unión superior para instalación en esquina  
 Bovenkoppeling voor hoekinstallatie  
 Obere Verbindung für Eckinstallation



Giunzione inferiore installazione lato angolo  
 Lower junction - corner side installation  
 Jonction inférieure - installation côté angle  
 Unión inferior - instalación lado esquina  
 Onderverbinding voor hoekinstallatie  
 Untere Verbindung für Eckinstallation



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷71	<b>B3312</b>	0	33,9÷37,9	31,7	36	27	1
77÷81	<b>B3315</b>	0	38,9÷42,9	36,7	43	31	1
87÷91	<b>B3318</b>	0	43,9÷47,9	41,7	50	36	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	<b>B3321</b>	0	-	-	-	15	1
67÷71	<b>B3322</b>	0	-	-	-	16	1
73÷77	<b>B3324</b>	0	-	-	-	18	1
77÷81	<b>B3325</b>	0	-	-	-	19	1
83÷87	<b>B3327</b>	0	-	-	-	21	1
87÷91	<b>B3328</b>	0	-	-	-	22	1
97÷101	<b>B3330</b>	0	-	-	-	25	1



# RAPID

ANGOLO COMPLETO RETTANGOLARE CON ANTE SCORREVOLI / RECTANGULAR CORNER WITH SLIDING DOORS  
 ACCÈS D'ANGLE COMPLET RECTANGULARE / ACCESO RECTANGULAR COMPLETO  
 RECHTHOEKIGE HOEKOPSTELLING MET SCHUIFDEUREN / RECHTECKIGE ECKLÖSUNG MIT SCHIEBETÜREN



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




O1


## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo  
 Corner installation  
 Installation angulaire  
 Instalación angular  
 Hoekinstallatie  
 Eckmontage





Giunzione superiore installazione lato angolo  
 Upper junction - corner side installation  
 Jonction supérieure - installation côté angle  
 Unión superior para instalación en esquina  
 Bovenkoppeling voor hoekinstallatie  
 Obere Verbindung für Eckinstallation



Giunzione inferiore installazione lato angolo  
 Lower junction - corner side installation  
 Jonction inférieure - installation côté angle  
 Unión inferior - instalación lado esquina  
 Onderverbinding voor hoekinstallatie  
 Untere Verbindung für Eckinstallation



Lcm	Pcm	COD.	Acm	Bcm	B1cm	Ccm	Dcm	KG	PCS
67÷71	87÷91	<b>B3372</b>	0	50÷52	31,7	41,7	43	43,9÷47,9	31 1
67÷71	97÷101	<b>B3378</b>	0	55÷57	31,7	46,7	46,5	48,9÷52,9	34 1
67÷71	117÷121	<b>B3380</b>	0	57,3÷59,3	31,7	56,7	53,5	58,9÷62,9	37 1
77÷81	97÷101	<b>B3376</b>	0	72,3÷74,3	36,7	46,7	50	48,9÷52,9	37 1
77÷81	117÷121	<b>B3377</b>	0	77,3÷79,3	36,7	56,7	57	58,9÷62,9	39 1



H. 190 cm  
 SP. 4 mm



L1cm	COD.	Acm	Bcm	Ccm	KG	PCS
63÷67	<b>B3321</b>	0	-	-	15	1
67÷71	<b>B3322</b>	0	-	-	16	1
73÷77	<b>B3324</b>	0	-	-	18	1
77÷81	<b>B3325</b>	0	-	-	19	1
83÷87	<b>B3327</b>	0	-	-	21	1
87÷91	<b>B3328</b>	0	-	-	22	1
97÷101	<b>B3330</b>	0	-	-	25	1



# RAPID

LATO PER ANGOLO CON PORTE SCORREVOLI / SIDE PANEL FOR CORNER WITH SLIDING DOORS  
 PANNEAU LATÉRAL POUR ANGLE AVEC PORTES COULISSANTES / PANEL LATERAL PARA ESQUINA CON PUERTAS CORREDERAS  
 ZIJWAND VOOR HOEK MET SCHUIFDEUREN / SEITENWAND FÜR ECKE MIT SCHIEBETÜREN



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




O1


## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo  
 Corner installation  
 Installation angulaire  
 Instalación angular  
 Hoekinstallatie  
 Eckmontage






Giunzione superiore installazione lato angolo  
 Upper junction - corner side installation  
 Jonction supérieure - installation côté angle  
 Unión superior para instalación en esquina  
 Bovenkoppeling voor hoekinstallatie  
 Obere Verbindung für Eckinstallation



Giunzione inferiore installazione lato angolo  
 Lower junction - corner side installation  
 Jonction inférieure - installation côté angle  
 Unión inferior - instalación lado esquina  
 Onderverbinding voor hoekinstallatie  
 Untere Verbindung für Eckinstallation

L cm	COD.		A cm	B cm	C cm	KG	PCS
67÷71	<b>B3382</b>	0	33,9÷37,9	31,7	18	20	1
73÷77	<b>B3384</b>	0	36,9÷40,9	34,7	20	21	1
77÷81	<b>B3385</b>	0	38,9÷42,9	36,7	21,5	22	1
83÷87	<b>B3387</b>	0	41,9÷45,9	39,7	23,5	24	1
87÷91	<b>B3388</b>	0	43,9÷47,9	41,7	25	25	1
93÷97	<b>B3390</b>	0	47,1÷51,1	44,9	27,3	27	1
97÷101	<b>B3391</b>	0	48,9÷52,9	46,7	28,5	28	1
103÷107	<b>B3393</b>	0	52,1÷56,1	49,9	30,7	29	1
107÷111	<b>B3394</b>	0	53,9÷57,9	51,7	32	30	1
117÷121	<b>B3397</b>	0	58,9÷62,9	56,7	35,5	33	1






D

H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	<b>B3321</b>	0	-	-	-	15	1
67÷71	<b>B3322</b>	0	-	-	-	16	1
73÷77	<b>B3324</b>	0	-	-	-	18	1
77÷81	<b>B3325</b>	0	-	-	-	19	1
83÷87	<b>B3327</b>	0	-	-	-	21	1
87÷91	<b>B3328</b>	0	-	-	-	22	1
97÷101	<b>B3330</b>	0	-	-	-	25	1



+4

CODICE / CODE / CODE  
 CÓDIGO / CODE / CODE

**B3382 0 TT 011A**

S SINISTRA / LEFT / GAUCHE / IZQUIERDA / LINKS / LINKS  
 D DESTRA / RIGHT / DROITE / DERECHA / RECHTS / RECHTS

# RAPID


PORTA SCORREVOLE / SLIDING DOOR  
 PORTE COULISSANTE / PUERTA CORREDERA  
 SCHUIFDEUR / SCHIEBETÜR



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





O1

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo e in nicchia  
 Corner and recess installation  
 Installation en angle et en niche  
 Instalación en esquina y en nicho  
 Installatie in hoekopstelling en in nis  
 Installation in Ecklösung und in Nische



Lcm	COD.		Acm	Bcm	Ccm	KG	PCS
96÷103	<b>B3340</b>	0	47,1÷51,1	44,9	38,5	24	1
106÷113	<b>B3342</b>	0	52,1÷56,1	49,9	43,5	26	1
116÷123	<b>B3344</b>	0	57,1÷61,1	54,9	48,5	28	1
126÷133	<b>B3346</b>	0	62,1÷66,1	59,9	53,5	30	1
136÷143	<b>B3348</b>	0	67,1÷71,1	64,9	58,5	32	1
146÷153	<b>B3350</b>	0	72,1÷76,1	69,9	63,5	34	1
156÷163	<b>B3352</b>	0	77,1÷81,1	74,9	68,5	35	1
166÷173	<b>B3354</b>	0	82,1÷86,1	79,9	73,5	37	1



H. 190 cm  
 SP. 4 mm



L1cm	COD.		Acm	Bcm	Ccm	KG	PCS
63÷67	<b>B3321</b>	0	-	-	-	15	1
67÷71	<b>B3322</b>	0	-	-	-	16	1
73÷77	<b>B3324</b>	0	-	-	-	18	1
77÷81	<b>B3325</b>	0	-	-	-	19	1
83÷87	<b>B3327</b>	0	-	-	-	21	1
87÷91	<b>B3328</b>	0	-	-	-	22	1
97÷101	<b>B3330</b>	0	-	-	-	25	1



# RAPID

PORTA SCORREVOLE A TRE ANTE / THREE-PANEL SLIDING DOOR  
 PORTE COULISSANTE À TROIS VANTAUX / PUERTA CORREDERA DE TRES HOJAS  
 SCHUIFDEUR MET DRIE PANELEN / SCHIEBETÜR MIT DREI ELEMENTEN



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





O1

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo e in nicchia  
 Corner and recess installation  
 Installation en angle et en niche  
 Instalación en esquina y en nicho  
 Installatie in hoekopstelling en in nis  
 Installation in Ecklösung und in Nische



L cm	COD.		A cm	B cm	C cm	KG	PCS
68÷76	<b>B3311</b>	<b>O</b>	-	6,5	32	19	1
77÷85	<b>B3312</b>	<b>O</b>	-	6,5	38	21	1
86÷94	<b>B3313</b>	<b>O</b>	-	6,5	42	23	1
95÷103	<b>B3314</b>	<b>O</b>	-	6,5	50	25	1
104÷112	<b>B3315</b>	<b>O</b>	-	6,5	56	26	1
113÷121	<b>B3365</b>	<b>O</b>	-	6,5	62	26	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	<b>B3321</b>	<b>O</b>	-	-	-	15	1
67÷71	<b>B3322</b>	<b>O</b>	-	-	-	16	1
73÷77	<b>B3324</b>	<b>O</b>	-	-	-	18	1
77÷81	<b>B3325</b>	<b>O</b>	-	-	-	19	1
83÷87	<b>B3327</b>	<b>O</b>	-	-	-	21	1
87÷91	<b>B3328</b>	<b>O</b>	-	-	-	22	1
97÷101	<b>B3330</b>	<b>O</b>	-	-	-	25	1



# RAPID

PORTA BATTENTE / HINGED DOOR  
 PORTE BATTANTE / PUERTA BATIENTE  
 DRAAIDEUR / DREHTÜR



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo e in nicchia  
 Corner and recess installation  
 Installation en angle et en niche  
 Instalación en esquina y en nicho  
 Installatie in hoekopstelling en in nis  
 Installation in Ecklösung und in Nische



L cm	COD.		A cm	B cm	C cm	KG	PCS
66÷74	<b>B3301</b>	<b>0</b>	-	51,8	52	16	1
76÷84	<b>B3303</b>	<b>0</b>	-	61,8	62	19	1
86÷94	<b>B3305</b>	<b>0</b>	-	71,8	72	21	1
96÷104	<b>B3307</b>	<b>0</b>	-	81,8	82	23	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	<b>B3321</b>	<b>0</b>	-	-	-	15	1
67÷71	<b>B3322</b>	<b>0</b>	-	-	-	16	1
73÷77	<b>B3324</b>	<b>0</b>	-	-	-	18	1
77÷81	<b>B3325</b>	<b>0</b>	-	-	-	19	1
83÷87	<b>B3327</b>	<b>0</b>	-	-	-	21	1
87÷91	<b>B3328</b>	<b>0</b>	-	-	-	22	1
97÷101	<b>B3330</b>	<b>0</b>	-	-	-	25	1



# RAPID

PORTA SALOON / SALOON DOOR  
 PORTE SALOON / PUERTA SALOON  
 SALOONDEUR / SALOONTÜR



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo e in nicchia  
 Corner and recess installation  
 Installation en angle et en niche  
 Instalación en esquina y en nicho  
 Installatie in hoekopstelling en in nis  
 Installation in Ecklösung und in Nische



L cm	COD.		A cm	B cm	C cm	KG	PCS
66÷74	B3331	0	-	25	49,5	16	1
76÷84	B3333	0	-	30	59,5	19	1
86÷94	B3335	0	-	35	69,5	21	1
96÷104	B3337	0	-	40	79,5	23	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	B3321	0	-	-	-	15	1
67÷71	B3322	0	-	-	-	16	1
73÷77	B3324	0	-	-	-	18	1
77÷81	B3325	0	-	-	-	19	1
83÷87	B3327	0	-	-	-	21	1
87÷91	B3328	0	-	-	-	22	1
97÷101	B3330	0	-	-	-	25	1



# RAPID

PORTA A SOFFIETTO / BI-FOLD DOOR  
 PORTE PLIANTE / PUERTA PLEGABLE  
 VOUWDEUR / FALTTÜR



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo e in nicchia  
 Corner and recess installation  
 Installation en angle et en niche  
 Instalación en esquina y en nicho  
 Installatie in hoekopstelling en in nis  
 Installation in Ecklösung und in Nische



L cm	COD.		A cm	B cm	C cm	KG	PCS
66÷74	B3361	0	-	28,8	36	20	1
76÷84	B3363	0	-	34	46	22	1
86÷94	B3365	0	-	38,7	56	24	1
96÷104	B3367	0	-	43,6	66	26	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	B3321	0	-	-	-	15	1
67÷71	B3322	0	-	-	-	16	1
73÷77	B3324	0	-	-	-	18	1
77÷81	B3325	0	-	-	-	19	1
83÷87	B3327	0	-	-	-	21	1
87÷91	B3328	0	-	-	-	22	1
97÷101	B3330	0	-	-	-	25	1



# RAPID

SEMITONDO CON DUE PORTE SCORREVOLI / SEMICIRCULAR WITH TWO SLIDING DOORS  
 DEMI-CERCLE AVEC DEUX PORTES COULISSANTES / SEMICIRCULAR CON DOS PUERTAS CORREDERAS  
 HALFROND MET TWEE SCHUIFDEUREN / HALBRUND MIT ZWEI SCHIEBETÜREN



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione in angolo  
 Corner installation  
 Installation angulaire  
 Instalación angular  
 Hoekinstallatie  
 Eckmontage



L cm	COD.		A cm	B cm	C cm	KG	PCS
71,5÷75,5	<b>B3370</b>	0	33,9 - 37,9	28,3	41	33	1
76÷80	<b>B3373</b>	0	21,5 - 25,5	41,3	47	34,5	1
86÷90	<b>B3371</b>	0	31,5 - 35,5	41,3	60	35	1



H. 190 cm  
 SP. 4 mm



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	<b>B3321</b>	0	-	-	-	15	1
67÷71	<b>B3322</b>	0	-	-	-	16	1
73÷77	<b>B3324</b>	0	-	-	-	18	1
77÷81	<b>B3325</b>	0	-	-	-	19	1
83÷87	<b>B3327</b>	0	-	-	-	21	1
87÷91	<b>B3328</b>	0	-	-	-	22	1
97÷101	<b>B3330</b>	0	-	-	-	25	1



# RAPID

PARETE FISSA / FIXED PANEL  
 PAROI FIXE / PANEL FIJO  
 VASTE WAND / SEITENWAND



H. 190 CM  
 SP. 4 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




TT WM

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS



01

## DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



Installazione parete fissa  
 Fixed panel installation  
 Installation de l'élément fixe  
 Instalación del panel fijo  
 Installatie van vaste wand  
 Montage des feststehenden Elements

L1cm	COD.		A cm	B cm	C cm	KG	PCS
63÷67	B3321	0	-	-	-	15	1
67÷71	B3322	0	-	-	-	16	1
73÷77	B3324	0	-	-	-	18	1
77÷81	B3325	0	-	-	-	19	1
83÷87	B3327	0	-	-	-	21	1
87÷91	B3328	0	-	-	-	22	1
97÷101	B3330	0	-	-	-	25	1

