

CLAIRE



telaio
frame / profilé
bastidor / frame /
rahmen

AN	WM	BM
AC	GB	



vetro
glass / verre /
vidro / glas /
glas


01	30	80
42	43	41
73	14	90

su richiesta / on request / en option / bajo pedido / Op aanvraag / Auf Anfrage




YOC
YOUR OWN COLOR


Grafite	Titanio	Blu denim
Avio	Platino	Creta
Seta	Perla	Avorio
Verde salvia	Verde felce	Bruno
Avana	Visone	Terra di luna




angolo
corner / d'angle /
esquina / Hoek /
Ecke



nicchia
recess / niche /
nicho / nis /
Nische



tre lati
three sides / trois côtés /
tres lados / driezijdig /
Dreiseitig



CLAIRE

LATO PER ANGOLO CON PORTE SCORREVOLI / SIDE PANEL FOR CORNER WITH SLIDING DOORS
 PANNEAU LATÉRAL POUR ANGLE AVEC PORTES COULISSANTES / PANEL LATERAL PARA ESQUINA CON PUERTAS CORREDERAS
 ZIJWAND VOOR HOEK MET SCHUIFDEUREN / SEITENWAND FÜR ECKE MIT SCHIEBETÜREN



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2400	0	32÷34	32,5	18,5	20	1
72÷74	B2401	0	34,5÷36,5	35	20,5	27	1
77÷79	B2402	0	37÷39	37,5	22	30	1
82÷84	B2403	0	39,5÷41,5	40	23	32	1
87÷89	B2404	0	42÷44	42,5	25,5	34	1
97÷99	B2405	0	48,5÷50,5	46	28,5	38	1
107÷109	B2406	0	58,5÷60,5	46	28,5	40	1
117÷119	B2407	0	68,5÷70,5	46	28,5	41	1



CLAIRE

PORTA SCORREVOLE PER PARETE FISSA / SLIDING DOOR FOR FIXED PANEL
 PORTE COULISSANTE POUR PAROI FIXE / PUERTA CORREDERA PARA PANEL FIJO
 SCHUIFDEUR VOOR VASTE WAND / SCHIEBETÜR FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90


DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
97÷99	B2460	0	50÷52	46	39	34	1
107÷109	B2461	0	55÷57	51	44	36	1
117÷119	B2462	0	57,3÷59,3	56	49	39	1
127÷129	B2463	0	62,3÷64,3	61	54	43	2
137÷139	B2464	0	67,3÷69,3	66	59	47	2
147÷149	B2465	0	72,3÷74,3	71	64	50	2
157÷159	B2466	0	77,3÷79,3	76	69	53	2
167÷169	B2467	0	82,3÷84,3	81	74	56	2
177÷179	B2468	0	87,3÷89,3	86	79	59	2



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2480	0	-	-	-	23	1
72÷74	B2481	0	-	-	-	23	1
77÷79	B2482	0	-	-	-	24	1
82÷84	B2483	0	-	-	-	25	1
87÷89	B2484	0	-	-	-	26	1
97÷99	B2485	0	-	-	-	27	1
107÷109	B2486	0	-	-	-	29	1
117÷119	B2487	0	-	-	-	30	1



CLAIRE

PORTA SCORREVOLE / SLIDING DOOR
 PORTE COULISSANTE / PUERTA CORREDERA
 SCHUIFDEUR / SCHIEBETÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
97÷101	B2410	1	48,5÷50,5	46	39	34	1
107÷111	B2411	1	53,5÷55,5	51	44	36	1
117÷121	B2412	1	58,5÷60,5	56	49	39	1
127÷131	B2413	1	63,8÷65,8	61	54	43	2
137÷141	B2414	1	68,5÷70,5	66	59	47	2
147÷151	B2415	1	73,8÷75,8	71	64	50	2
157÷161	B2416	1	78,5÷80,5	76	69	53	2
167÷171	B2417	1	83,8÷85,8	81	74	56	2
177÷181	B2418	1	88,5÷90,5	86	79	59	2



CLAIRE

DOPPIA PORTA SCORREVOLE / DOUBLE SLIDING DOOR FOR RECESS
 DOUBLE PORTE COULISSANTE POUR NICHE / DOBLE PUERTA CORREDERA PARA NICHOS
 DUBBELE SCHUIFDEUR / DOPPELTE SCHIEBETÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
137÷141	B2420	2	37÷39	33	46	50	2
142÷146	B2421	2	39,5÷41,5	33	51	52	2
147÷151	B2422	2	39,5÷41,5	35	56	53	2
152÷156	B2423	2	42÷44	35	56	54	2
157÷161	B2424	2	42÷44	38	62	55	2
162÷166	B2425	2	44,5÷46,5	38	62	55	2
167÷171	B2426	2	44,5÷46,5	40	67	57	2
172÷176	B2427	2	48,5÷50,5	39	63	58	2
177÷181	B2428	2	48,5÷50,5	41	69	60	2



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1



CLAIRE


PORTA BATTENTE / HINGED DOOR
 PORTE BATTANTE / PUERTA BATIENTE
 DRAAIDEUR / DREHTÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
62÷66	B2430	0	-	50	53	24	1
67÷71	B2431	0	-	55	58	26	1
72÷76	B2432	0	-	60	63	27	1
77÷81	B2433	0	-	65	68	28	1
82÷86	B2434	0	-	70	73	29	1
87÷91	B2435	0	-	75	78	31	1
92÷96	B2436	0	-	80	83	32	1
97÷101	B2437	0	-	85	88	34	1



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1



CLAIRE

PORTA PIVOTTANTE / PIVOT DOOR
 PORTE PIVOTANTE / PUERTA PIVOTANTE
 PIVOTDEUR / PENDELTÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	A cm	B cm	C cm	P cm	KG	PCS
62÷66	B2440	0	-	54	44	9,6	24
67÷71	B2441	0	-	59	49	9,6	26
72÷76	B2442	0	-	64	54	9,6	27
77÷81	B2443	0	-	69	59	9,6	28
82÷86	B2444	0	-	74	64	9,6	29
87÷91	B2445	0	-	79	69	9,6	31
92÷96	B2446	0	-	84	74	9,6	32
97÷101	B2447	0	-	89	79	9,6	34



L1 cm	COD.	A cm	B cm	C cm	P cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1



CLAIRE

PORTA SALOON / SALOON DOOR
 PORTE SALOON / PUERTA SALOON
 SALOONDEUR / SALOONTÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
67÷71	B2450	0	-	29	56	24	1
72÷76	B2451	0	-	32	61	25	1
77÷81	B2452	0	-	34	66	27	1
82÷86	B2453	0	-	37	71	28	1
87÷91	B2454	0	-	39	76	30	1
92÷96	B2455	0	-	42	81	31	1
97÷101	B2456	0	-	44	86	32	1
107÷111	B2457	0	-	49	96	33	1
117÷121	B2458	0	-	54	106	34	1



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1



CLAIRE

PORTA A SOFFIETTO / BI-FOLD DOOR
 PORTE PLIANTE / PUERTA PLEGABLE
 VOUWDEUR / FALTTÜR



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 14 43 41 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
67÷71	B2470	0	-	32	42	25	1
72÷76	B2471	0	-	35	47	27	1
77÷81	B2472	0	-	38	51	28	1
82÷86	B2473	0	-	41	56	30	1
87÷91	B2474	0	-	43	59	31	1
92÷96	B2475	0	-	46	64	33	1
97÷101	B2476	0	-	48	68	34	1
107÷111	B2477	0	-	56	78	35	1
117÷121	B2478	0	-	58	88	36	1



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1



CLAIRE


PARETE FISSA / FIXED PANEL
 PAROI FIXE / PANEL FIJO
 VASTE WAND / SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB YOC

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 30 80

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE



42 14 43 41 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67÷69	B2490	0	-	-	-	22	1
72÷74	B2491	0	-	-	-	22	1
77÷79	B2492	0	-	-	-	23	1
82÷84	B2493	0	-	-	-	24	1
87÷89	B2494	0	-	-	-	25	1
97÷99	B2495	0	-	-	-	26	1
107÷109	B2496	0	-	-	-	28	1
117÷119	B2497	0	-	-	-	29	1

