



INDISSIMA



telaio
frame / profilé
bastidor / frame /
rahmen




vetro
glass / verre /
vidro / glas /
glas




su richiesta / on request / en option / bajo pedido / Op aanvraag / Auf Anfrage



angolo
corner / d'angle /
esquina / Hoek /
Ecke



nicchia
recess / Niche /
nicho / nis /
Nische



INDISSIMA

LATO PER ANGOLO CON PORTE SCORREVOLI / SIDE PANEL FOR CORNER WITH SLIDING DOORS
 PANNEAU LATÉRAL POUR ANGLE AVEC PORTES COULISSANTES / PANEL LATERAL PARA ESQUINA CON PUERTAS CORREDERAS
 ZIJWAND VOOR HOEK MET SCHUIFDEUREN / SEITENWAND FÜR ECKE MIT SCHIEBETÜREN



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS







01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.	S/D	A cm	B cm	C cm	KG	PCS
67,5÷68,5	B1820	S/D	34÷35	31	17	28	1
68,5÷69,5	B1821	S/D	34÷35	31	17	29	1
77,5÷78,5	B1822	S/D	39÷40	36	20,5	32	1
78,5÷79,5	B1823	S/D	39÷40	36	20,5	33	1
87,5÷88,5	B1824	S/D	44÷45	41	24	37	1
88,5÷89,5	B1825	S/D	44÷45	41	24	38	1
97,5÷98,5	B1826	S/D	54÷55	41	24	41	1
98,5÷99,5	B1827	S/D	54÷55	41	24	42	1
117,5÷118,5	B1828	S/D	74÷75	41	24	47	1
118,5÷119,5	B1829	S/D	74÷75	41	24	48	1



INDISSIMA

PORTA SCORREVOLE PER PARETE FISSA / SLIDING DOOR FOR FIXED PANEL
 PORTE COULISSANTE POUR PAROI FIXE / PUERTA CORREDERA EN PANEL FIJO
 SCHUIFDEUR VOOR VASTE WAND / SCHIEBETÜR FÜR FESTE SEITENWAND



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 73 90


DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
97,5÷98,5	B1780	S/D	50÷51	48	40	36	2
98,5÷99,5	B1781	S/D	50÷51	48	40	36	2
107,5÷108,5	B1782	S/D	55÷56	53	45	40	2
108,5÷109,5	B1783	S/D	55÷56	53	45	40	2
117,5÷118,5	B1784	S/D	60÷61	58	50	44	2
118,5÷119,5	B1785	S/D	60÷61	58	50	44	2
137,5÷138,5	B1786	S/D	70÷71	68	60	51	2
138,5÷139,5	B1787	S/D	70÷71	68	60	51	2
157,5÷158,5	B1788	S/D	80÷81	78	70	58	2
158,5÷159,5	B1717	S/D	80÷81	78	70	59	2



L1 cm	COD.		A cm	B cm	C cm	KG	PCS
67,5÷68,5	B1790	O	-	-	-	24	1
68,5÷69,5	B1791	O	-	-	-	24	1
72,5÷73,5	B1792	O	-	-	-	26	1
73,5÷74,5	B1793	O	-	-	-	26	1
77,5÷78,5	B1794	O	-	-	-	28	1
78,5÷79,5	B1795	O	-	-	-	28	1
87,5÷88,5	B1796	O	-	-	-	31	1
88,5÷89,5	B1797	O	-	-	-	31	1
97,5÷98,5	B1798	O	-	-	-	33	1
98,5÷99,5	B1718	O	-	-	-	33	1



INDISSIMA

PORTA SCORREVOLE PER NICCHIA / SLIDING DOOR FOR RECESS
 PORTE COULISSANTE POUR NICHE / PUERTA CORREDERA PARA NICHOS
 SCHUIFDEUR VOOR NIS / SCHIEBETÜR FÜR NISCHE



H. 200 CM
 SP. 6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS





01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		A cm	B cm	C cm	KG	PCS
96,5÷98,5	B1770	S/D	48÷49	48	40	36	2
98,5÷100,5	B1771	S/D	50÷51	48	40	37	2
106,5÷108,5	B1772	S/D	53÷54	53	45	40	2
108,5÷110,5	B1773	S/D	55÷56	53	45	41	2
116,5÷118,5	B1774	S/D	58÷59	58	50	44	2
118,5÷120,5	B1775	S/D	60÷61	58	50	44	2
136,5÷138,5	B1776	S/D	68÷69	68	60	51	2
138,5÷140,5	B1777	S/D	70÷71	68	60	52	2
156,5÷158,5	B1778	S/D	78÷79	78	70	59	2
158,5÷160,5	B1716	S/D	80÷81	78	70	59	2



INDISSIMA

PORTA PIVOTTANTE PER PARETE FISSA / PIVOT DOOR FOR FIXED PANEL
 PORTE PIVOTANTE POUR PAROI FIXE / PUERTA PIVOTANTE PARA PANEL FIJO
 PIVOTDEUR VOOR VASTE WAND / PENDELTÜR FÜR FESTE SEITENWAND



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE






42 43 73 90



DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
67÷68	B1720	S/D	12	-	47÷48	48	24	1
68÷69	B1721	S/D	12	-	48÷49	49	24	1
72÷73	B1722	S/D	12	-	52÷53	53	27	1
73÷74	B1723	S/D	12	-	53÷54	54	27	1
77÷78	B1724	S/D	12	-	57÷58	58	30	1
78÷79	B1725	S/D	12	-	58÷59	59	30	1
87÷88	B1726	S/D	12	-	67÷68	68	33	1
88÷89	B1727	S/D	12	-	68÷69	69	33	1
97÷98	B1728	S/D	12	-	77÷78	78	35	1
98÷99	B1711	S/D	12	-	78÷79	79	35	1



L1 cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
67÷68	B1730	0	-	-	-	-	24	1
68÷69	B1731	0	-	-	-	-	24	1
72÷73	B1732	0	-	-	-	-	26	1
73÷74	B1733	0	-	-	-	-	26	1
77÷78	B1734	0	-	-	-	-	28	1
78÷79	B1735	0	-	-	-	-	28	1
87÷88	B1736	0	-	-	-	-	31	1
88÷89	B1737	0	-	-	-	-	31	1
97÷98	B1738	0	-	-	-	-	33	1
98÷99	B1712	0	-	-	-	-	33	1



INDISSIMA

PORTA PIVOTTANTE PER NICCHIA / PIVOT DOOR FOR RECESS
 PORTE PIVOTANTE POUR NICHE / PUERTA PIVOTANTE PARA NICHU
 PIVOTDEUR VOOR NIS / PENDELTÜR FÜR NISCHE



H. 200 CM
 SP. 8 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
67÷69	B1700	S/D	12	-	47	48	24	1
69÷71	B1701	S/D	12	-	49	50	25	1
72÷74	B1702	S/D	12	-	52	53	27	1
74÷76	B1703	S/D	12	-	54	55	28	1
77÷79	B1704	S/D	12	-	57	58	30	1
79÷81	B1705	S/D	12	-	59	60	31	1
87÷89	B1706	S/D	12	-	67	68	33	1
89÷91	B1707	S/D	12	-	69	70	34	1
97÷99	B1708	S/D	12	-	77	78	35	1
99÷101	B1710	S/D	12	-	79	80	36	1



INDISSIMA


PORTA PIVOTTANTE SU ELEMENTO FISSO PER PARETE FISSA / PIVOT DOOR ON IN-LINE FIXED PANEL FOR FIXED PANEL
 PORTE PIVOTANTE SUR ÉLÉM. FIXE EN LIGNE POUR PAROI FIXE / PUERTA PIVOTANTE SOBRE PANEL FIJO EN LÍNEA PARA PANEL FIJO
 PIVOTDEUR OP VAST IN-LINE PANEEL VOOR VASTE WAND / PENDELTÜR AUF FESTSTEHENDEM ELEMENT IN LINIE FÜR FESTE SEITENWAND



H. 200 CM
 SP. 8+6 MM




PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE




AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS






01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE





42 43 73 90


DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
97÷98	B1750	S/D	12	34	47	48	36	2
98÷99	B1751	S/D	12	34	48	49	36	2
117÷118	B1752	S/D	12	34	67	68	44	2
118÷119	B1753	S/D	12	34	68	69	44	2
137÷138	B1754	S/D	12	54	67	68	51	2
138÷139	B1755	S/D	12	54	68	69	51	2
157÷158	B1756	S/D	12	74	67	68	58	2
158÷159	B1757	S/D	12	74	68	69	59	2
177÷178	B1758	S/D	12	84	77	78	66	2
178÷179	B1714	S/D	12	84	78	79	66	2



L1 cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
67÷68	B1760	0	-	-	-	-	24	1
68÷69	B1761	0	-	-	-	-	24	1
72÷73	B1762	0	-	-	-	-	26	1
73÷74	B1763	0	-	-	-	-	26	1
77÷78	B1764	0	-	-	-	-	28	1
78÷79	B1765	0	-	-	-	-	28	1
87÷88	B1766	0	-	-	-	-	31	1
88÷89	B1767	0	-	-	-	-	31	1
97÷98	B1768	0	-	-	-	-	33	1
98÷99	B1715	0	-	-	-	-	33	1



INDISSIMA

PORTA PIVOTTANTE SU ELEMENTO FISSO / PIVOT DOOR ON IN-LINE FIXED PANEL
 PORTE PIVOTANTE SUR ÉLÉM. FIXE EN LIGNE / PUERTA PIVOTANTE SOBRE PANEL FIJO EN LÍNEA
 PIVOTDEUR OP VAST IN-LINE PANEEL / PENDELTÜR AUF FESTSTEHENDEM ELEMENT IN LINIE



H. 200 CM
 SP. 8+6 MM



PROFILI / PROFILES / PROFILÉ / PROFILE / PROFIELEN / PROFILE



AN WM BM AC GB BZ MB

VETRI / GLASS / VITRES / VIDRIOS / GLAS / GLAS




01 14

SU RICHIESTA / ON REQUEST / EN OPTION / BAJO PEDIDO / OP AANVRAAG / AUF ANFRAGE



42 43 73 90

DETTAGLI TECNICI / TECHNICAL DETAILS / DÉTAILS TECHNIQUES / DETALLES TÉCNICOS / TECHNISCHE DETAILS / TECHNISCHE DETAILS



L cm	COD.		P cm	A cm	B cm	C cm	KG	PCS
97÷99	B1740	S/D	12	33÷34	47	48	36	2
99÷101	B1741	S/D	12	33÷34	49	50	37	2
117÷119	B1742	S/D	12	33÷34	67	68	44	2
119÷121	B1743	S/D	12	33÷34	69	70	44	2
137÷139	B1744	S/D	12	53÷54	67	68	51	2
139÷141	B1745	S/D	12	53÷54	69	70	52	2
157÷159	B1746	S/D	12	73÷74	67	68	58	2
159÷161	B1747	S/D	12	73÷74	69	70	59	2
177÷179	B1748	S/D	12	83÷84	77	78	66	2
179÷181	B1713	S/D	12	83÷84	79	80	67	2

